Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
SI	4	"508906". ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/01 12:59
S2	2	"7058741".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/01 13:24
S5	5	* 628847**.ap.	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/01 13:48
S4	0	"09628847".ap.	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/01 13:48
S3	2	"5191436".pn.	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/01 13:48
S6	2	"6633932".pn.	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/02 11:47
S9	113	(power voltage) near5 profile\$1 near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 10:50
S13	35	select\$7 near5 (power voltage) near5 (profile\$1 configuration) near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 10:58
S8	2	(receiv\$3 send\$3) near5 (power voltage) near5 profile\$1 near5 (external\$3 peripheral\$1)	, IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 10:58
S14	. 52	(receiv\$3 send\$3) near5 (power voltage) near5 (profile\$1 configuration) near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 10:59
S15	30	S13 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:04
S16	40	S14 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:07
S12	39	S11 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:12
S11	53	S10 and 713/3\$2.ccls.	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:12

		EAST Search History				
S10	1291	(power voltage) near5 (profile\$1 configuration) near5 (external\$3 peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:12
			JPO; DERWENT ; IBM_TDB			
S18	2651	S17 same (profile\$1 configuration)	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:14
			JPO; DERWENT ; IBM_TDB			
S22	19	S17 near10 (profile\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:15
			DERWENT ; IBM_TDB			
S21	655	S17 near10 (profile\$1 configuration)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:15
S7	1	select\$7 near5 (power voltage) near5 profile\$1 near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:25
		,	USPAT; FPRS; EPO; JPO; DERWENT		"	2007/03/20 12:23
S25	· 4	"508906".ap.	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:28
			USPAT; FPRS; EPO; JPO; DERWENT			
S24	108	S23 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:28
			JPO; DERWENT			
S26	4	(power voltage) near8 (profile\$1 configuration) near8 (external\$3 peripheral\$1) near8 (demand)	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:34
			JPO; DERWENT ; IBM_TDB			
S23	136	(power voltage) near8 (profile\$1 configuration) near8 (external\$3 peripheral\$1) near8 (charg\$3 recharg\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:34
			DERWENT ; IBM_TDB			
S29	0	S28 near8 requr\$3	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:36
			DERWENT ; IBM_TDB			
S32	126	S31 same (external\$3 peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:37
			DERWENT ; IBM_TDB			
S31	2399	S30 near8 (receiv\$3 send\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:37
S28	1640	(power voltage) peers (profiles I confirmation) (/ www	DERWENT ; IBM_TDB	0.5		2008/22-22-
348	1568	(power voltage) near5 (profile\$1 configuration) near8 (external\$3 peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:37
S17	52527	supply\$3 near5 (power voltage) near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:37
			USPAT; FPRS; EPO; JPO; DERWENT	-		
S33	67	\$31 near8 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:38
			USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB			

		EAST Scarcii History				
S20	56	S19 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:38
			JPO; DERWENT ; IBM_TDB			
S38	170	\$36 and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:40
			DERWENT ; IBM_TDB			
S19	75	S18 and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 12:40
S39	5403	(power voltage) near5 (profile\$1 configuration) near5 operat\$3	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:41
			USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S36	1222	S30 same peripheral\$1	US-PGPUB; USPAT;	OR	OFF	2007/03/20 12:41
			FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S30	81140	(power voltage) near5 (profile\$1 configuration)	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 12:41
			JPO; DERWENT ; IBM_TDB			
\$41	704	\$39 near10 (peripheral\$1 device\$1 component\$1 card\$i)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:43
S40	٠,		DERWENT ; IBM_TDB			
340	21	S39 near10 peripheral\$1	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 12:43
S37	1442	\$35 and 713/3\$2.ccls.	DERWENT ; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:44
			USPAT; FPRS; EPO; JPO; DERWENT	OK		2007/03/20 12:44
S44	2	"6952619".pn.	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 12:48
			USPAT; FPRS; EPO; JPO; DERWENT			
S43	42	S42 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT;	OR	OFF	2007/03/20 12:48
			FPRS; EPO; JPO; DERWENT			
S42	68	S41 and 713/3\$2.ccls.	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 13:11
			USPAT; FPRS; EPO; JPO;			
S45	24	S41 near10 (sent send\$3 receiv\$3)	DERWENT ; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 13:12
	-		USPAT; FPRS; EPO; JPO; DERWENT	O.K	OFF.	2007103/20 13/12
S46	52527	supply\$3 near5 (power voltage) near5 (external\$3 peripheral\$1)	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/20 16:31
		•	USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S27	4	(power voltage) near3 (demand) near8 (profile\$1 configuration) near8 (external\$3 peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 16:31
			JPO; DERWENT ; IBM_TDB			

S47	27	S46 same ((power voltage) near5 profile\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 16:32
			DERWENT			
S34	55	S33 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 16:44
			JPO; DERWENT ; IBM_TDB			
S48	29	read\$3 near8 (power voltage) near3 (profile\$1 configuration) near8 (external\$3 peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 16:47
S52	16	S51 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 16:48
			JPO; DERWENT ; IBM_TDB			
S50	191	read\$3 near8 (power voltage) near3 (profile\$1 configuration) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 16:48
			; IBM_TDB			
S49	25	S48 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205") .	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 16:49
			; IBM_TDB			
\$35	1442	S30 and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/20 16:49
S55	48	S53 and g06f\$.ipc.	; IBM_TDB US-PGPUB; USPAT;	OR	OFF	2007/03/20 16:50
		·	FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S54	10	\$53 and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 16:50
S51	24	read\$3 near8 (power) near3 (profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1)	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	OFF	2007/03/20 16:52
			FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S56	7	accord\$7 near8 (power) near3 (profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 16:53
			DERWENT ; IBM_TDB			
S57	17	correspond\$7 near8 (power) near3 (profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 16:56
			DERWENT ; IBM_TDB			
S58	7	supply\$3 near5 appropriat\$7 near8 (power) same ((profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 17:01
			DERWENT ; IBM_TDB			
S60	1433	(power near5 (profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 17:04
			DERWENT ; IBM_TDB			
S59	105281	((profile\$1) near8 (external\$3 peripheral\$1 device\$1 component\$1 card\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/20 17:04
			DERWENT ; IBM_TDB			
2/22/6						

S62	17	S61 same card\$1	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 17:22
			JPO; DERWENT ; IBM_TDB			
S61	134	cis near5 power	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/20 17:22
			JPO; DERWENT ; IBM_TDB			
S63	3	("6085982").URPN.	USPAT	OR	OFF	2007/03/21 09:59
S65	113	((maintain\$3 access\$3) near8 directories).clm.	USPAT	OR	OFF	2007/03/21 10:00
S64	3	((maintain\$3 access\$3) near8 directories same hierarchy).clm.	USPAT	OR	OFF	2007/03/21 10:00
S66	2	"6,732,218".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/21 14:49
S67	44	otg near8 (portable laptop notebook)	DERWENT ; IBM_TDB US-PGPUB;	OR	OFF	2007/03/21 14:55
			USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S68	35689	(personal adj1 computer pc) near8 (PDA (personal adj1 digital adj1 assistant))	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/21 14:58
674	403		JPO; DERWENT ; IBM_TDB			
S74	483	S73 and g06f\$.ipc.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/21 14:59
S73	1047	(personal adj1 computer pc) near3 (PDA (personal adj1 digital adj1 assistant)) near3 can	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/21 14:59
S72	2120	(personal adj1 computer pc) near5 (PDA (personal adj1 digital adj1 assistant)) near5 can	DERWENT; IBM_TDB US-PGPUB;	OR	OFF	2007/03/21 14:59
			USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB			
S71	2614	(personal adj1 computer pc) near8 (PDA (personal adj1 digital adj1 assistant)) near5 can	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/21 14:59
S70	1555	S69 and g06f\$.ipc.	DERWENT; IBM_TDB US-PGPUB;	OR	OFF	2007/03/21 14:59
			USPAT; FPRS; EPO; JPO; DERWENT			
S69	3641	(personal adj1 computer pc) near8 (PDA (personal adj1 digital adj1 assistant)) near8 can	; IBM_TDB US-PGPUB; USPAT;	OR	OFF	2007/03/21 14:59
			FPRS; EPO; JPO; DERWENT ; IBM_TDB			
Li	2	"5333300".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 09:41
1.2	0	("6697883").URPN.	USPAT	OR	OFF	2007/03/22 10:20
L3		("5689430" "5706239" "5734618" "5761061" "5818781" "5928336" "6085982" "6153949" "6292858").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/22 10:28
1.6	4	5 same boot\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/22 10:31
			JPO; DERWENT ; IBM_TDB			

		DASI Scaren History				
L4	144	enumerat\$3 near5 (device\$1 component\$1 drive\$1 disk\$1 disc\$1) same boot\$3	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/22 10:31
			JPO; DERWENT ; IBM_TDB			
L7	616	boot\$3 near5 order\$3 near5 (device\$1 component\$1 drive\$1 disk\$1 disc\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 10:34
			DERWENT ; IBM_TDB			
L5	102	enumerat\$3 near5 (device\$1 component\$1 drive\$1 disk\$1 disc\$1) near8 (common universal\$3 match\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 10:34
			DERWENT ; IBM_TDB			
L8	11	7 near8 ("same" match\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/22 11:32
LIO	57	transmission near3 rate near8 (modern telephone) near8 (mode state)	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/22 11:34
			USPAT; FPRS; EPO; JPO; DERWENT			
LII	1	transmission near3 rate near8 (modern telephone) near8 (sleep\$3 ((low adj1 power) near2 (mode\$1 state\$1)))	US-PGPUB; USPAT;	OR	OFF	2007/03/22 11:36
			FPRS; EPO; JPO; DERWENT ; IBM_TDB			
L12	1	transmission near3 rate\$1 near8 (sleep\$3 ((low adj1 power) near2 (mode\$1 state\$1))) same (modem telephone)	US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/22 11:37
			JPO; DERWENT ; IBM_TDB			
L13	19	transmission near3 rate\$1 near8 (sleep\$3 ((low adj1 power) near2 (mode\$1 state\$1)))	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 11:38
			DERWENT ; IBM_TDB			
L14	4	transmission near3 rate\$1 near8 adjust\$3 same (sleep\$3 ((low adj1 power) near2 (mode\$1 state\$1)))	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 11:43
L15	12422820	(host resin) more from 184 and	DERWENT ; IBM_TDB			
Lis	12422620	(host main) near5 suppl\$4 near5 power near5 necessary (device\$1 component\$1 peripheral\$1 card\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 11:44
S53	147	S50 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB	0.7	0.55	2007/20070
0.55	14,	330 and (@nau 20030203 @au 20030203)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 11:45
L16	70	(host main) near5 suppl\$4 near5 power near5 necessary near8 (device\$1 component\$1 peripheral\$1 card\$1)	; IBM_TDB	OP	0	2007/03/32 ***
	,,	(caracteristic perpendicular recessary nearo (devices) components) perpendasi carasi)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	OFF	2007/03/22 11:46
L17	43	16 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	; IBM_TDB	OP	0.55	2007/02/22
	73		US-PGPUB; USPAT; FPRS: EPO; JPO; DERWENT	OR	OFF	2007/03/22 11:58
L33	82	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near8 (mode state) and	; IBM_TDB US-PGPUB;	OR	OFF	2007/03/22 12:47
		713/3\$2.ccls.	USPAT; FPRS; EPO; JPO; DERWENT			- STITE OF THE EAST
L35	41	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near8 (mode state) near8 (stop\$4)	; IBM_TDB US-PGPUB; USPAT; FPRS; EPO;	OR	OFF	2007/03/22 12:48
			JPO; DERWENT ; IBM_TDB			

L34	66	33 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:48
L38	32	37 and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:49
1.37	276	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near8 (stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:49
L18	31	(host main) near5 suppl\$4 near5 power near5 necessary and 713/3\$2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM TDB	OR	OFF	2007/03/22 12:49
L39	22	38 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:50
L36	25	35 and (@rlad<="20030205" @ad<="20030205" @pd<="20030205")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:50
L40	547	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near4 (off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:52
L42	3	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near4 (operating) near5 based	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:53
L41	9	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near4 (off) near5 based	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:58
L43	107	(host main) near5 suppl\$4 near5 power near5 (external\$3 peripheral\$1 device\$1 component\$1 card\$1) near6 (chang\$3 adjust\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 12:59
L44	6	43 same ((external\$3 peripheral\$1 device\$1 component\$1 card\$1) near5 (off sleep\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/22 13:00